The listing of claims presented below will replace all prior versions and listing of claims in the application.

Listing of Claims:

- 1. (Previously Presented) A process for the preparation of a glucan product from yeast which comprises:
- [a)] contacting a particulate branched ß-1,3-glucan having ß-1,3-linked and ß-1,6-linked chains therein with a ß-1,6-glucanase under conditions such that the resulting glucan is comprised of ß-1,3-linked glucose units and is essentially free of ß-1,6-linked chains and containing four or less ß-1,6-bound glucose units.
- 2. (Previously Presented) A process according to Claim 1 wherein said ß-1,6-glucanase is obtained from the group of microorganisms consisting of *Trichoderma longibrachiatum*, *Trichoderma reesei*, *Trichoderma harzianum*, *Rhizopus chinensis*, *Gibberella fujikuroi*, *Bacillus circulans*, *Mucor lilmalis* and *Acinetobacter*.

3-6. (Cancelled)

- 7. (Previously Presented) The product of the process of Claim 1, comprising a particulate branched &-1,3-glucan with &-1,3-linked side chains being attached by a &-1,6-linkage and being essentially free of &-1,6-linked chains and containing four or less β -1, 6-bound glucose units.
- 8. (Previously Presented) The product of the process of Claim comprising a branched \(\mathbb{G}\)-1,3-glucan with \(\mathbb{G}\)-1,3-linked side chains being attached by a \(\mathbb{G}\)-1,6-linked chains and containing four or less \(\mathbb{G}\)-1,6-bound glucose units.

- 9. (Previously Presented) An insoluble particulate yeast glucan especially from the yeast family *Saccharomyces* wherein a branched ß-1,3-glucan with ß-1,3-linked side chains being attached by a ß-1,6-linkage and being essentially free of ß-1,6-linked chains and containing four or less ß-1,6-bound glucose units.
- 10. (Previously Presented) A process for the production of a solubilized ß-(1-3)-glucan particle from yeast, which comprises contacting an insoluble glucan from yeast having a backbone of ß-(1-3)-linked glucose units with at least one ß-(1-3)-linked side chain of at least 1 glucose units attached thereto with a solubilizing agent.
- 11. (Cancelled)
- 13. (Previously Presented) A process for the preparation of a feed glucan product from yeast, which comprises:
- [a)] contacting the feed grade yeast glucan being a branched ß-1,3-glucan having ß-1,3-linked and ß-1,6-linked chains therein with a ß-1,6-glucanase under conditions such that the resulting glucan is comprised of ß-1,3-linked glucose units and is essentially free of ß-1,6-linked chains and containing four or less ß-1,6-bound glucose units.

14-15. (Cancelled)

- 16. The product of the process of Claim 13, comprising a branched ß-1,3-glucan with ß-1,3-linked side chains being attached by a ß-1,6-linkage and being essentially free of ß-1,6-linked chains and containing four or less ß-1,6-bound glucose units.
- 17. (Previously Presented) The product according to Claim 9, wherein the yeast species *Saccharomyces cereviseae*.
- 18. (Previously Presented) The process according to Claim 13, wherein the yeast is from the family *Saccharomyces*.

- 19. (Previously Presented) The process to Claim 18, wherein the yeast species is *Sacchromyces cereviseae*.
- 20. (Previously Presented) A method of increasing immunostimulation in fish by administering to fish a glucan product comprising a branched β -1, 3-glucans with β -1,3-linked side chains being attached by a β -1,6-linkage and being essentially free of β -1,6 linked chains and containing four or less β -1,6-bound glucose units.
- 21. (Previously Presented) The method of Claim 20 wherein the glucan product is administered to the fish by IP injection.
- 22. (New) The product of the process of Claim 1 with immunostimulatory properties.
- 23. (New) The product of the process of Claim 1 with immunomodulatory properties.